



DEDICATED TEAMS, PROGRAMS & PRICING FOR EDUCATION

Interactivity, technology and collaboration have never been more important to the learning experience. Sony delivers cutting-edge products and solutions with special programs and pricing to help enrich today's learning experiences.

Model	Eye on Edu (Suggested*)	MSRP	Color Light Output	Resolution	Light Source	Light Source Life (Std/Eco, hour)**	Lamp #	Lamp Price	Digital PC and Video Inputs	Analog PC and Video Inputs	Lens Throw	Lens Shift	Option Lens	Audio	Weight (lb)	Wireless
Advanced Installation Series - For Large Classrooms, Auditoriums and Lecture Halls																
VPL-FHZ700L (new pricing)	\$ 8,499	\$ 14,000	7,000 lm	WUXGA	Laser	20,000	N/A	N/A	HDMI, DVI-D, HDBT (option)	VGA, 5BNC, S Video, Composite	Optional	Yes	Yes	N/A	47 lb	N/A
VPL-FHZ65 (new pricing)	\$ 6,999	\$ 11,500	6,000 lm	WUXGA	Laser	20,000	N/A	N/A	HDMI, DVI-D, HDBT	VGA, Composite	1.39 - 2.23 : 1	Yes	Yes	N/A	35 lb	N/A
VPL-FHZ60 (new pricing)	\$ 5,499	\$ 9,000	5,000 lm	WUXGA	Laser	20,000	N/A	N/A	HDMI, DVI-D, HDBT	VGA, Composite	1.39 - 2.23 : 1	Yes	Yes	N/A	35 lb	N/A
VPL-FHZ57 (new pricing)	\$ 3,999	\$ 7,000	4,100 lm	WUXGA	Laser	20,000	N/A	N/A	HDMI, DVI-D, HDBT	VGA, Composite	1.39 - 2.23 : 1	Yes	Yes	N/A	35 lb	N/A
VPL-FH500L	\$ 7,999	\$ 9,150	7,000 lm	WUXGA	Lamp	6,000/8,000	LMP-F330	\$ 585	HDMI, DVI-D	VGA, 5BNC, S Video, Composite	Optional	Yes	Yes	N/A	44.1 lb	N/A
VPL-FH65	\$ 4,299	\$ 7,200	6,000 lm	WUXGA	Lamp	3,000/4,000	LMP-F370	\$ 449	HDMI, DVI-D, HDBT	VGA, Composite	1.39 - 2.23 : 1	Yes	Yes	N/A	28.7 lb	N/A
VPL-FH60	\$ 3,699	\$ 6,210	5,000 lm	WUXGA	Lamp	3,000/4,000	LMP-F280	\$ 399	HDMI, DVI-D, HDBT	VGA, Composite	1.39 - 2.23 : 1	Yes	Yes	N/A	28.7 lb	N/A
VPL-FH31	\$ 2,999	\$ 4,500	4,300 lm	WUXGA	Lamp	3,000/4,000	LMP-F272	\$ 469	HDMI, DVI-D	VGA, 5BNC, S Video, Composite	1.39 - 2.23 : 1	Yes	Yes	N/A	18.1 lb	N/A
VPL-FWZ65 (new pricing)	\$ 4,799	\$ 8,000	6,000 lm	WXGA	Laser	20,000	N/A	N/A	HDMI, DVI-D, HDBT	VGA, Composite	1.39 - 2.23 : 1	Yes	Yes	N/A	35 lb	N/A
VPL-FWZ60 (new pricing)	\$ 3,499	\$ 6,000	5,000 lm	WXGA	Laser	20,000	N/A	N/A	HDMI, DVI-D, HDBT	VGA, Composite	1.39 - 2.23 : 1	Yes	Yes	N/A	35 lb	N/A
VPL-FW65	\$ 3,299	\$ 5,800	6,300 lm	WXGA	Lamp	3,000/4,000	LMP-F370	\$ 449	HDMI, DVI-D, HDBT	VGA, Composite	1.39 - 2.23 : 1	Yes	Yes	N/A	28.7 lb	N/A
VPL-FW60	\$ 2,499	\$ 4,500	5,200 lm	WXGA	Lamp	3,000/4,000	LMP-F280	\$ 399	HDMI, DVI-D, HDBT	VGA, Composite	1.39 - 2.23 : 1	Yes	Yes	N/A	28.7 lb	N/A

Model	Price		Display		Light Source				Inputs		Lens			General		
	Eye on Edu (Suggested*)	MSRP	Color Light Output	Resolution	Light Source	Light Source Life (Std/Eco, hour)**	Lamp #	Lamp Price	Digital PC and Video Inputs	Analog PC and Video Inputs	Lens Throw	Lens Shift	Option Lens	Audio	Weight (lb)	Wireless
Mobile Series																
VPL-DW241	\$ 599	\$ 970	3,100 lm	WXGA	Lamp	3,000/5,000/10,000	LMP-D214	\$199	HDMIx2	VGA, Composite	1.36 - 1.77:1	N/A	N/A	1W	5.9 lb	N/A
VPL-DX241	\$ 549	\$ 890	3,300 lm	XGA	Lamp	3,000/5,000/10,000	LMP-D214	\$199	HDMIx2	VGA, Composite	1.37 - 1.80:1	N/A	N/A	1W	5.9 lb	N/A
VPL-DX221	\$ 449	\$ 740	2,800 lm	XGA	Lamp	3,000/5,000/10,000	LMP-D214	\$199	HDMI	VGA, Composite	1.47 - 1.77:1	N/A	N/A	1W	5.9 lb	N/A
Short Throw, Ultra Short Throw Series																
VPL-SW631CM (interactive)	\$ 1,499	\$ 2,700	3,300 lm	WXGA	Lamp	4,000/6,000/10,000	LMP-E220	\$125	HDMI	VGAX2, S Video, Composite	0.27:1	Yes	N/A	16W	14 lb	Optional (IFU-WLM3)
VPL-SW631M	\$ 1,199	\$ 2,100	3,300 lm	WXGA	Lamp	4,000/6,000/10,000	LMP-E220	\$125	HDMI	VGAX2, S Video, Composite	0.27:1	Yes	N/A	16W	13 lb	Optional (IFU-WLM3)
VPL-SX631M	\$ 1,049	\$ 1,900	3,300 lm	XGA	Lamp	4,000/6,000/10,000	LMP-E212	\$125	HDMI	VGAX2, S Video, Composite	0.27:1	Yes	N/A	16W	13 lb	Optional (IFU-WLM3)
VPL-SW235	\$ 849	\$ 1,620	3,000 lm	WXGA	Lamp	4,000/6,000/10,000	LMP-E220	\$125	HDMI	VGAX2, S Video, Composite	0.46:1	N/A	N/A	16W	9.7 lb	Optional (IFU-WLM3)
VPL-SX236	\$ 749	\$ 1,380	3,300 lm	XGA	Lamp	4,000/6,000/10,000	LMP-E212	\$125	HDMI	VGAX2, S Video, Composite	0.46:1	N/A	N/A	16W	9.7 lb	Optional (IFU-WLM3)
Classrooms Series																
VPL-EW575	\$ 1,149	\$ 2,000	4,300 lm	WXGA	Lamp	4,000/6,000/10,000	LMP-E221	\$149	HDMIx2	VGAX2, S Video, Composite	1.1 - 1.79:1	N/A	N/A	16W	9 lb	Optional (IFU-WLM3)
VPL-EW578	\$ 1,299	\$ 2,200	4,300 lm	WXGA	Lamp	4,000/6,000/10,000	LMP-E221	\$149	HDMIx2, HDBT	VGAX2, S Video, Composite	1.1 - 1.79:1	N/A	N/A	16W	9 lb	Optional (IFU-WLM3)
VPL-EW455	\$ 999	\$ 1,790	3,500 lm	WXGA	Lamp	4,000/6,000/10,000	LMP-E221	\$149	HDMIx2	VGAX2, S Video, Composite	1.37 - 1.80:1	N/A	N/A	16W	8.6 lb	Optional (IFU-WLM3)
VPL-EW435	\$ 679	\$ 1,188	3,100 lm	WXGA	Lamp	4,000/6,000/10,000	LMP-E221	\$149	HDMIx2	VGAX2, S Video, Composite	1.37 - 1.80:1	N/A	N/A	16W	8.6 lb	Optional (IFU-WLM3)
VPL-EX575	\$ 899	\$ 1,600	4,200 lm	XGA	Lamp	4,000/6,000/10,000	LMP-E221	\$149	HDMIx2	VGAX2, S Video, Composite	1.4 - 2.27:1	N/A	N/A	16W	8.8 lb	Optional (IFU-WLM3)
VPL-EX455	\$ 799	\$ 1,390	3,600 lm	XGA	Lamp	4,000/6,000/10,000	LMP-E221	\$149	HDMIx2	VGAX2, S Video, Composite	1.37 - 1.80:1	N/A	N/A	16W	8.6 lb	Optional (IFU-WLM3)
VPL-EX435	\$ 599	\$ 1,045	3,800 lm	XGA	Lamp	4,000/6,000/10,000	LMP-E221	\$149	HDMIx2	VGAX2, S Video, Composite	1.47 - 1.77:1	N/A	N/A	16W	8.8 lb	Optional (IFU-WLM3)

Model	Price		Display		Light Source				Inputs		Lens			General			
	Eye on Edu (Suggested*)	MSRP	Color	Light Output	Resolution	Light Source	Light Source Life (Std/Eco, hour)**	Lamp #	Lamp Price	Digital PC and Video Inputs	Analog PC and Video Inputs	Lens Throw	Lens Shift	Option Lens	Audio	Weight (lb)	Wireless
Basic Installation Series - For Medium to Large Classrooms																	
VPL-PHZ10	\$ 2,999	\$ 5,000	5,000 lm normal, 4,500 lm constant brightness; 14k hrs	WUXGA	Laser	20,000	N/A	N/A	HDMIx2, HDBT	VGA, Composite	1.29 - 1.89:1	Yes	No	Phone jack	19 lb	Optional (IFU-WLM3)	
VPL-PWZ10 (new pricing)	\$ 1,999	\$ 3,400	5,000 lm normal, 4,500 lm constant brightness; 14k hrs	WXGA	Laser	20,000	N/A	N/A	HDMIx2, HDBT	VGA, Composite	1.29 - 1.89:1	Yes	No	Phone jack	19 lb	Optional (IFU-WLM3)	
VPL-CH375	\$ 2,399	\$ 4,000	5,000 lm	WUXGA	Lamp	2,500/3,000/3,500	LMP-C281	\$199	HDMIx2, HDBT	VGA, S Video, Composite	1.5:1 - 2.2:1	Yes	N/A	12W	12.6 lb	Optional (IFU-WLM3)	
VPL-CH370	\$ 1,999	\$ 3,380	5,000 lm	WUXGA	Lamp	2,500/3,000/3,500	LMP-C281	\$199	HDMIx2	VGA, S Video, Composite	1.5:1 - 2.2:1	Yes	N/A	12W	12.6 lb	Optional (IFU-WLM3)	
VPL-CH355	\$ 1,899	\$ 3,200	4,000 lm	WUXGA	Lamp	3,000/4,000/5,000	LMP-C250	\$199	HDMIx2, HDBT	VGA, S Video, Composite	1.5:1 - 2.2:1	Yes	N/A	12W	12.6 lb	Optional (IFU-WLM3)	
VPL-CH350	\$ 1,499	\$ 2,580	4,000 lm	WUXGA	Lamp	3,000/4,000/5,000	LMP-C250	\$199	HDMIx2	VGA, S Video, Composite	1.5:1 - 2.2:1	Yes	N/A	12W	12.6 lb	Optional (IFU-WLM3)	
4K Projectors - For Visualization and Simulation																	
VPL-GTZ1	Ask	Ask	2,000 lm	4K	Laser	20,000	N/A	N/A	HDMIx4	N/A	0.16 - 0.25 : 1	N/A	N/A	N/A	121 lb	N/A	
VPL-GTZ270	Ask	Ask	5,000 lm	4K	Laser	20,000	N/A	N/A	HDMIx2, DPx2	N/A	Optional	Yes	Yes	N/A	88 lb	N/A	
SRX-T615	Ask	Ask	18,000 lm	4K	Lamp	2,000/3,000	LKRMU450	\$2,000 (for 6)	HDMIx2	N/A	Optional	Yes	Yes	N/A	315.3 lb	N/A	

VPL-FH31 and FHZ55 Optional Lenses

Model	MSRP	Throw Ratio	Zoom/Focus	Lens Shift Range (V,H)	Screen Size	Required Lens Adaptor
VPLL-2007	\$ 2,250	0.65:1	-	+10%, +/-4%	60"-300"	-
VPLL-Z2009	\$ 2,250	0.85-1.0:1	Manual x1.2	+50%, +/-24%	60"-300"	-
Standard Lens	N/A	1.39-2.23:1	Manual x1.6	+60%, +/-32%	40"-600"	-
VPLL-Z3024	\$ 2,250	2.34-3.19:1	Manual x1.3	+60%, +/-32%	40"-600"	PK-F30LA1
VPLL-Z3032	\$ 2,250	3.18-4.84	Manual x1.5	+60%, +/-32%	40"-600"	PK-F30LA1

VPL-FW60, FW65, FWZ60, FWZ65, FH60, FH65, FHZ57, FHZ60 and FHZ65 Optional Lenses

Model	MSRP	Throw Ratio	Zoom/Focus	Lens Shift Range (V,H)	Screen Size	Required Lens Adaptor
VPLL-3003	\$ 4,800	0.33:1	-	+/-5%, +/-5%	80"-300"	-
VPLL-3007	\$ 2,250	0.65:1	-	+10%/-5%, 4%	60"-300"	-
VPLL-Z3009	\$ 2,250	0.85-1.0:1	Manual x1.2	+50%/-5%, 24%	60"-300"	-
VPLL-Z3010	\$ 2,250	1.0-1.39:1	Powered x1.4	+60%/-5%, +/-29%	60"-300"	-
Standard Lens	N/A	1.39-2.23:1	Powered x1.6	+60%/-5%, 32%	40"-600"	-
VPLL-Z3024	\$ 2,250	2.34-3.19:1	Powered x1.3	+60%/-5%, 32%	40"-600"	-
VPLL-Z3032	\$ 2,250	3.18-4.84	Powered x1.5	+60%/-5%, 32%	40"-600"	-

VPL-FH500L, FHZ700L Optional Lenses

Model	MSRP	Throw Ratio	Zoom/Focus	Lens Shift Range (V,H)	Screen Size	Required Lens Adaptor
VPLL-ZM42	\$ 475	1.83 - 2.32	Manual 1.3x	+/- 59%, 31%	40" - 300"	PK-F500LA2
VLL-Z4007	\$ 3,200	0.68-0.8:1	Manual 1.2x	+/-15%, 6%	60" - 300"	-
VPLL-4008	\$ 4,000	1.08:1	No / Manual	+/- 41%, 19%	40" - 600"	-
VPLL-Z4011	\$ 2,200	1.38 - 2.06	Powered 1.5x	+/-110%, 57%	60" - 600"	-
VPLL-Z4015	\$ 3,200	2.02 - 2.67	Powered 1.4x	+/- 109%, 57%	40" - 600"	-
VPLL-Z4019	\$ 3,200	2.62 - 3.36	Powered 1.3x	+/- 113%, 63%	40" - 600"	-
VPLL-Z4025	\$ 3,200	3.30 - 6.11	Powered 1.9x	+/- 113%, 63%	40" - 600"	-
VPLL-Z4045	\$ 4,000	6.08 - 10.52	Powered 1.8x	+/- 113%, 63%	60" - "600	-

Projector Mounts

Model	MSRP	Description
PAM-200	\$ 179	Ceiling mount kit for VPL-E and C series
PAM-400	\$ 200	Ceiling mount bracket for VPL-F500 and F700 series
PAM-600	\$ 400	Ceiling mount bracket for VPL-F57 and F60 series
PAM-650DS	TBA	Double Stack mount for VPL-F57 and F60 series
PSS-650	\$ 1,300	6 axis adjustment mount kit for VPLL3003 lens
PSS-650P	\$ 300	Extension pole for the PSS-650

Other accessories

Model	MSRP	Description
IFU-WLM3	\$ 89	Wireless module for VPL-E, S and C series
BKM-PJ10	\$ 600	HDBaseT adaptor for VPL-FHZ700L
BKM-PJ20	\$ 1,100	HD-SDI adaptor for VPL-F500 and F700 series
LKRA-FL1	\$ 700	3D Optical Filter for the F57 and F60 series (separate polarizers required)
LKRA-FL2	\$ 700	Multi Surface Optical Filter for the F57 and F60 series
IFU-PN250A	\$ 50	Replacement main interactive pen for the VPL-SW631CM
IFU-PN250B	\$ 50	Replacement sub interactive pen for the VPL-SW631CM
PK-F30LA1	\$ 49	Lens adaptor to attach Z3024 and Z3032 lens to the FH31
PK-F500LA1	\$ 49	Lens adaptor to attach ZP41 lens to the VPL-FH500L and FHZ700L
PK-F500LA2	\$ 49	Lens adaptor to attach FM22 and ZM42 lens to the VPL-FH500L and FHZ700L
PK-F60LA1	\$ 399	Retrofit lens adapter to attach VPLL-Z1032 lens to the F57 and F60 series
PK-F60LA2	\$ 399	Retrofit lens adapter to attach VPLL-Z1024 lens to the F57 and F60 series
PK-F60LA3	\$ 139	Retrofit lens adapter to attach VPLL-Z2009 lens to the F57 and F60 series
PK-F60LA4	\$ 139	Retrofit lens adapter to attach VPLL-2007 lens to the F57 and F60 series

Model	Price		Camera								Interface				Image Stab.	Auto ICR
	Eye on Edu (Sug.*)	MSRP	Image Sensor	Signal System	Optical/Digital Zoom	Horizontal Viewing Angle	Focal range	Min Illumination	Presets	Ceiling Mt/Image Flip	Video Out	Camera Control Interface	IP Streaming	Power		
SRG Pan Tilt Zoom Cameras																
SRG-120DH	\$1,695	\$2,449	1/2.8 type Exmor CMOS	1080/59.94p,50p, 29.97p, 25p 1080/59.94i, 50i 720/59.94p, 50p,29.97p,25p	12x/12x	71 degree (wide)	3.9 (wide) to 46.8 (tele) mm	1.8 lux (50IRE F1.8 30 fps)	16	No	HDMI	VISCA over IP (RJ45 / RS232C)	N/A	N/A	No	No
SRG-120DU	\$1,695	\$2,449	1/2.8 type Exmor CMOS	1080/59.94p,50p, 29.97p, 25p 1080/59.94i, 50i 720/59.94p, 50p,29.97p,25p	12x/12x	71 degree (wide)	3.9 (wide) to 46.8 (tele) mm	1.8 lux (50IRE F1.8 30 fps)	16	No	USB 3.0 UVC1.0 x1	VISCA over IP (RJ45 / RS232C)	N/A	N/A	No	No
SRG-120DS	\$1,695	\$2,449	1/2.8 type Exmor CMOS	1080/59.94p, 50p, 29.97p, 25p 1080/59.94i, 50i 720/59.94p, 50p, 29.97p, 25p	12x/12x	71 Degrees (Wide)	3.9 (wide) to 46.8 (tele) mm	1.8 lux (50IRE F1.8 30 fps)	16	No	3G-SDI (HD-SDI compatible)	VISCA over IP (RJ45 / RS232C)	N/A	N/A	No	No
SRG-300H	\$2,145	\$3,099	1/2.8 type Exmor CMOS	1080/59.94p,50p, 29.97p, 25p 1080/59.94i, 50i 720/59.94p, 50p,29.97p,25p	30x/12x	65 degree (wide)	4.3 (wide) to129 (tele) mm	1.4 lux (50 IRE F1.6 30 fps)	16	Yes	HDMI	VISCA over IP (RJ45 / RS232C / RS422)	N/A	N/A	Yes	Yes
SRG-300SE	\$2,665	\$3,849	1/2.8 type Exmor CMOS	1080/59.94p,50p, 29.97p, 25p 1080/59.94i, 50i 720/59.94p, 50p,29.97p,25p	30x/12x	65 degree (wide)	4.3 (wide) to129 (tele) mm	1.4 lux (50 IRE F1.6 30 fps)	256	Yes	3G-SDI (HD-SDI compatible) (no audio transmission)	VISCA over IP (RS-422 Serial Interface)	Yes (RTSP)	Yes (IP)	Yes	Yes
SRG-360SHE	\$2,765	\$3,999	1/2.8 type Exmor CMOS	1080/59.94p,50p 1080/59.94i,50i 720/59.94p,50p	30x/12x	65 degree (wide)	4.3 (wide) to129 (tele) mm	1.4 lux (50 IRE F1.6 30fps)	256	Yes	3G-SDI /HDMI	VISCA over IP (RS-422 Serial Interface RJ45)	Yes (RTSP)	Yes (3G-SDI, HDMI,IP)	Yes	Yes
all SRG include Wide Dynamic Range View DR																
all SRG include XDNR (eXcellent Dynamic Noise Reduction)																
all SRG include built-in IP Control																

BRC Pan Tilt Zoom Camera												
Model	Price		Camera								Interface	
	Eye on Edu (Suggested*)	MSRP	Image Sensor	Signal System	Optical /Digital Zoom	Horizontal Viewing Angle	Focal range	Min Illumination	Video Out	Camera Control Interface	IP Control	EZ-2 Connect Cabling Pkgs
BRC-H900	\$7,385	\$9,170	1/2 type Exmor CMOS x3	60 Hz: 1080/59.94i 720/59.94p, NTSC	14x / NA	59.6 degrees (wide)	5.8 (wide) to 81.2 (tele) mm	4 lux (50 IRE f1.9 +24db)	HD: HD/SD-SDI (switchable) Component (Y/Pb/Pr) or RGB, HD, VD or sync SD: Composite, Y/C	RS-232C/RS422 (VISCA) VISCA over IP with BRBK-IP10 option card	Yes, with optional BRBK-IP10 board	Yes, with RC2-HDS kit
BRC-X1000/1	\$8,859	\$10,999	1" ExmorR CMOS	2160/29.97P,1080/59.94P,1080/59.94i,720 /59.94P, 2160/25P,1080/50P,1080/50i, 720/50P	12x (24x with Clear Image Zoom)	64.6 degrees (wide)	f=9.3 to 111.6mm, F2.8(wide),F4.5(tele)	1.7Lx, (50IRE, 1/30s, Iris/Gain Auto)	4K: Dual link 3G-SDI x2 and HDMI HD: 3G-SDI x2 and HDMI	RS-422(VISCA) VISCA Over IP	Yes -Built-in	No
BRC-H800/1	\$6,739	\$8,299	1" ExmorR CMOS	1080/59.94P,1080/59.94i,720/59.94P, 1080/50P,1080/50i, 720/50P	12x (24x with Clear Image Zoom)	64.6 degrees (wide)	f=9.3 to 111.6mm, F2.8(wide),F4.5(tele)	1.7Lx (50IRE, 1/30s, Iris/Gain Auto)	HD: 3G-SDI x2 and HDMI	RS-422(VISCA) VISCA Over IP	Yes -Built-in	No

all BRC include image stabilization, are ceiling mountable / image flip and include 16 presets

EZ-2 Connect Packages						
Model	EZ2 Connect Model	MSRP	Bundled Kit	Control Format	Video Out	Cat5e/6 Cabling requirements
SRG-120DH	SRG120DH/PAC4	\$3,999	RC4-SRG	VISCA	HDMI	Single
SRG-120DH	SRG120DH/PAC5	\$3,999	RC5-SRG	VISCA over IP	HDMI	Single
SRG-300H	SRG300H/PAC4	\$4,599	RC4-SRG	VISCA	HDMI	Single
SRG-300H	SRG300H/PAC5	\$4,599	RC5-SRG	VISCA over IP	HDMI	Single
SRG-300H/W	SRG300HW/PAC4	\$4,599	RC4-SRG	VISCA	HDMI	Single
SRG-300H/W	SRG300HW/PAC5	\$4,599	RC5-SRG	VISCA over IP	HDMI	Single
SRG-300SE	SRG300SE/PAC5	\$5,499	RC5-SRG	VISCA over IP	3G-SDI	Single
SRG300SE/W	SRG300SEW/PAC5	\$5,499	RC5-SRG	VISCA over IP	3G-SDI	Single
BRC-H900	BRC-H900/PAC5	\$11,229	RC5-SRG	VISCA over IP		Single
BRC-H900	BRCH900/PAC2	\$10,999	RC2-HDS	VISCA	HD Y/Pb/Pr	Dual

SRG and BRC Camera Controllers		
Model	MSRP	Description
RM-IP500/1	\$3,095	Compatible with BRCH900/H800/X1000 & SRG-360SHE
RMIP10	\$2,060	Compatible with BRC Series (except BRC-300 & BRC-H700) & SRG Series

SONY EDUCATION PROJECTOR PROGRAM

- * EDUCATION PRICING
- * SEASONAL VOLUME PROGRAMS
- * 5 YEAR EXTENDED WARRANTY*
- * 1 YEAR LIMITED LAMP WARRANTY
- * 3 YEAR - FREE LOANER
- * ON-SITE DEMONSTRATIONS
- * PERSONALIZED TECH EVALUATION
- * ADDITIONAL DISCOUNT FOR SONY LASER ALUMNI CUSTOMERS**

**5 Year Warranty applies after product registration*

***Customers with combined total of 30+ Sony Laser Projectors*

For further details visit: sony.com/education