



DEDICATED TEAMS, PROGRAMS & PRICING FOR EDUCATION

Interactivity, technology and collaboration have never been more important to the learning experience. Sony delivers cutting-edge products and solutions with special programs and pricing to help enrich today's learning experiences.

| Model | Price | | Display | | Light Source | | | | Inputs | | Lens | | | General | | |
|---|-------------------------|-----------|--------------------|------------|--------------|-------------------------------------|----------|------------|-----------------------------|-------------------------------|-----------------|------------|-------------|---------|-------------|----------|
| | Eye on Edu (Suggested*) | MSRP | Color Light Output | Resolution | Light Source | Light Source Life (Std/Eco, hour)** | Lamp # | Lamp Price | Digital PC and Video Inputs | Analog PC and Video Inputs | Lens Throw | Lens Shift | Option Lens | Audio | Weight (lb) | Wireless |
| Advanced Installation Series - For Large Classrooms, Auditoriums and Lecture Halls | | | | | | | | | | | | | | | | |
| VPL-FHZ700L | \$ 9,999 | \$ 15,750 | 7,000 lm | WUXGA | Laser | 20,000 | N/A | N/A | HDMI, DVI-D, HDBT (option) | VGA, 5BNC, S Video, Composite | Optional | Yes | Yes | N/A | 47 lb | N/A |
| VPL-FHZ65 | \$ 7,999 | \$ 12,300 | 6,000 lm | WUXGA | Laser | 20,000 | N/A | N/A | HDMI, DVI-D, HDBT | VGA, Composite | 1.39 - 2.23 : 1 | Yes | Yes | N/A | 35 lb | N/A |
| VPL-FHZ60 | \$ 5,799 | \$ 9,750 | 5,000 lm | WUXGA | Laser | 20,000 | N/A | N/A | HDMI, DVI-D, HDBT | VGA, Composite | 1.39 - 2.23 : 1 | Yes | Yes | N/A | 35 lb | N/A |
| VPL-FHZ57 | \$ 4,499 | \$ 7,000 | 4,100 lm | WUXGA | Laser | 20,000 | N/A | N/A | HDMI, DVI-D, HDBT | VGA, Composite | 1.39 - 2.23 : 1 | Yes | Yes | N/A | 35 lb | N/A |
| VPL-FH500L | \$ 7,999 | \$ 9,150 | 7,000 lm | WUXGA | Lamp | 6,000/8,000 | LMP-F330 | \$ 585 | HDMI, DVI-D | VGA, 5BNC, S Video, Composite | Optional | Yes | Yes | N/A | 44.1 lb | N/A |
| VPL-FH65 | \$ 4,299 | \$ 7,200 | 6,000 lm | WUXGA | Lamp | 3,000/4,000 | LMP-F370 | \$ 449 | HDMI, DVI-D, HDBT | VGA, Composite | 1.39 - 2.23 : 1 | Yes | Yes | N/A | 28.7 lb | N/A |
| VPL-FH60 | \$ 3,699 | \$ 6,210 | 5,000 lm | WUXGA | Lamp | 3,000/4,000 | LMP-F280 | \$ 399 | HDMI, DVI-D, HDBT | VGA, Composite | 1.39 - 2.23 : 1 | Yes | Yes | N/A | 28.7 lb | N/A |
| VPL-FH31 | \$ 2,999 | \$ 4,500 | 4,300 lm | WUXGA | Lamp | 3,000/4,000 | LMP-F272 | \$ 469 | HDMI, DVI-D | VGA, 5BNC, S Video, Composite | 1.39 - 2.23 : 1 | Yes | Yes | N/A | 18.1 lb | N/A |
| VPL-FWZ65 | \$ 5,999 | \$ 10,300 | 6,000 lm | WXGA | Laser | 20,000 | N/A | N/A | HDMI, DVI-D, HDBT | VGA, Composite | 1.39 - 2.23 : 1 | Yes | Yes | N/A | 35 lb | N/A |
| VPL-FWZ60 | \$ 3,999 | \$ 6,520 | 5,000 lm | WXGA | Laser | 20,000 | N/A | N/A | HDMI, DVI-D, HDBT | VGA, Composite | 1.39 - 2.23 : 1 | Yes | Yes | N/A | 35 lb | N/A |
| VPL-FW65 | \$ 3,299 | \$ 5,800 | 6,300 lm | WXGA | Lamp | 3,000/4,000 | LMP-F370 | \$ 449 | HDMI, DVI-D, HDBT | VGA, Composite | 1.39 - 2.23 : 1 | Yes | Yes | N/A | 28.7 lb | N/A |
| VPL-FW60 | \$ 2,499 | \$ 4,500 | 5,200 lm | WXGA | Lamp | 3,000/4,000 | LMP-F280 | \$ 399 | HDMI, DVI-D, HDBT | VGA, Composite | 1.39 - 2.23 : 1 | Yes | Yes | N/A | 28.7 lb | N/A |
| VPL-FX500L | \$ 4,999 | \$ 6,000 | 7,000 lm | XGA | Lamp | 6,000/8,000 | LMP-F330 | \$ 585 | DVI-D | VGA, 5BNC, S Video, Composite | Optional | Yes | Yes | N/A | 44.1 lb | N/A |
| VPL-FX37 | \$ 3,199 | \$ 4,800 | 6,000 lm | XGA | Lamp | 2,500/3,500 | LMP-F331 | \$ 499 | DVI-D | VGA, 5BNC, S Video, Composite | 1.42-2.27:1 | Yes | Yes | N/A | 17.9 lb | N/A |
| VPL-FX35 | \$ 2,799 | \$ 4,070 | 5,000 lm | XGA | Lamp | 3,000/4,000 | LMP-F272 | \$ 469 | DVI-D | VGA, 5BNC, S Video, Composite | 1.42-2.27:1 | Yes | Yes | N/A | 17.6 lb | N/A |
| VPL-FX30 | \$ 2,099 | \$ 3,090 | 4,200 lm | XGA | Lamp | 4,000/5,000 | LMP-F230 | \$ 399 | DVI-D | VGA, 5BNC, S Video, Composite | 1.42-2.27:1 | Yes | Yes | N/A | 17.4 lb | N/A |

| Model | Price | | Display | | Light Source | | | | Inputs | | Lens | | | General | | |
|--|-------------------------|----------|--------------------|------------|--------------|-------------------------------------|----------|------------|-----------------------------|----------------------------|---------------|------------|-------------|---------|-------------|---------------------|
| | Eye on Edu (Suggested*) | MSRP | Color Light Output | Resolution | Light Source | Light Source Life (Std/Eco, hour)** | Lamp # | Lamp Price | Digital PC and Video Inputs | Analog PC and Video Inputs | Lens Throw | Lens Shift | Option Lens | Audio | Weight (lb) | Wireless |
| Mobile Series | | | | | | | | | | | | | | | | |
| VPL-DW241 | \$ 599 | \$ 970 | 3,100 lm | WXGA | Lamp | 3,000/5,000/ 10,000 | LMP-D214 | \$199 | HDMIx2 | VGA, Composite | 1.36 - 1.77:1 | N/A | N/A | 1W | 5.9 lb | N/A |
| VPL-DX241 | \$ 549 | \$ 890 | 3,300 lm | XGA | Lamp | 3,000/5,000/ 10,000 | LMP-D214 | \$199 | HDMIx2 | VGA, Composite | 1.37 - 1.80:1 | N/A | N/A | 1W | 5.9 lb | N/A |
| VPL-DX221 | \$ 449 | \$ 740 | 2,800 lm | XGA | Lamp | 3,000/5,000/ 10,000 | LMP-D214 | \$199 | HDMI | VGA, Composite | 1.47 - 1.77:1 | N/A | N/A | 1W | 5.9 lb | N/A |
| Short Throw, Ultra Short Throw Series | | | | | | | | | | | | | | | | |
| VPL-SW631CM (interactive) | \$ 1,499 | \$ 2,700 | 3,300 lm | WXGA | Lamp | 4,000/6,000/ 10,000 | LMP-E220 | \$125 | HDMI | VGAX2, S Video, Composite | 0.27:1 | Yes | N/A | 16W | 14 lb | Optional (IFU-WLM3) |
| VPL-SW631M | \$ 1,199 | \$ 2,100 | 3,300 lm | WXGA | Lamp | 4,000/6,000/ 10,000 | LMP-E220 | \$125 | HDMI | VGAX2, S Video, Composite | 0.27:1 | Yes | N/A | 16W | 13 lb | Optional (IFU-WLM3) |
| VPL-SX631M | \$ 1,049 | \$ 1,900 | 3,300 lm | XGA | Lamp | 4,000/6,000/ 10,000 | LMP-E212 | \$125 | HDMI | VGAX2, S Video, Composite | 0.27:1 | Yes | N/A | 16W | 13 lb | Optional (IFU-WLM3) |
| VPL-SW235 | \$ 849 | \$ 1,620 | 3,000 lm | WXGA | Lamp | 4,000/6,000/ 10,000 | LMP-E220 | \$125 | HDMI | VGAX2, S Video, Composite | 0.46:1 | N/A | N/A | 16W | 9.7 lb | Optional (IFU-WLM3) |
| VPL-SX236 | \$ 749 | \$ 1,380 | 3,300 lm | XGA | Lamp | 4,000/6,000/ 10,000 | LMP-E212 | \$125 | HDMI | VGAX2, S Video, Composite | 0.46:1 | N/A | N/A | 16W | 9.7 lb | Optional (IFU-WLM3) |
| Classrooms Series | | | | | | | | | | | | | | | | |
| VPL-EW575 | \$ 1,149 | \$ 2,000 | 4,300 lm | WXGA | Lamp | 4,000/6,000/ 10,000 | LMP-E221 | \$149 | HDMIx2 | VGAX2, S Video, Composite | 1.1 - 1.79:1 | N/A | N/A | 16W | 9 lb | Optional (IFU-WLM3) |
| VPL-EW578 | \$ 1,299 | \$ 2,200 | 4,300 lm | WXGA | Lamp | 4,000/6,000/ 10,000 | LMP-E221 | \$149 | HDMIx2, HDBT | VGAX2, S Video, Composite | 1.1 - 1.79:1 | N/A | N/A | 16W | 9 lb | Optional (IFU-WLM3) |
| VPL-EW455 | \$ 999 | \$ 1,790 | 3,500 lm | WXGA | Lamp | 4,000/6,000/ 10,000 | LMP-E221 | \$149 | HDMIx2 | VGAX2, S Video, Composite | 1.37 - 1.80:1 | N/A | N/A | 16W | 8.6 lb | Optional (IFU-WLM3) |
| VPL-EX575 | \$ 899 | \$ 1,600 | 4,200 lm | XGA | Lamp | 4,000/6,000/ 10,000 | LMP-E221 | \$149 | HDMIx2 | VGAX2, S Video, Composite | 1.4 - 2.27:1 | N/A | N/A | 16W | 8.8 lb | Optional (IFU-WLM3) |
| VPL-EX455 | \$ 799 | \$ 1,390 | 3,600 lm | XGA | Lamp | 4,000/6,000/ 10,000 | LMP-E221 | \$149 | HDMIx2 | VGAX2, S Video, Composite | 1.37 - 1.80:1 | N/A | N/A | 16W | 8.6 lb | Optional (IFU-WLM3) |
| VPL-EW435 | \$ 679 | \$ 1,188 | 3,100 lm | WXGA | Lamp | 4,000/6,000/ 10,000 | LMP-E221 | \$149 | HDMIx2 | VGAX2, S Video, Composite | 1.37 - 1.80:1 | N/A | N/A | 16W | 8.6 lb | Optional (IFU-WLM3) |
| VPL-EX435 | \$ 599 | \$ 1,045 | 3,800 lm | XGA | Lamp | 4,000/6,000/ 10,000 | LMP-E221 | \$149 | HDMIx2 | VGAX2, S Video, Composite | 1.47 - 1.77:1 | N/A | N/A | 16W | 8.8 lb | Optional (IFU-WLM3) |

| Model | Eye on Edu (Suggested*) | MSRP | Color Light Output | Resolution | Light Source | Light Source Life (Std/Eco, hour)** | Lamp # | Lamp Price | Digital PC and Video Inputs | Analog PC and Video Inputs | Lens Throw | Lens Shift | Option Lens | Audio | Weight (lb) | Wireless |
|---|-------------------------|----------|--|------------|--------------|-------------------------------------|----------|-----------------|-----------------------------|----------------------------|-----------------|------------|-------------|------------|-------------|---------------------|
| Basic Installation Series - For Medium to Large Classrooms | | | | | | | | | | | | | | | | |
| VPL-PHZ10 (new) | \$ 2,999 | \$ 5,000 | 5,000 lm normal, 4,500 lm constant brightness; 14 hr | WUXGA | Laser | 20,000 | N/A | N/A | HDMIx2, HDBT | VGA, Composite | 1.29 - 1.89:1 | Yes | No | Phone jack | 19 lb | Optional (IFU-WLM3) |
| VPL-PWZ10 (new) | \$ 2,199 | \$ 3,750 | 5,000 lm normal, 4,500 lm constant brightness; 14 hr | WXGA | Laser | 20,000 | N/A | N/A | HDMIx2, HDBT | VGA, Composite | 1.29 - 1.89:1 | Yes | No | Phone jack | 19 lb | Optional (IFU-WLM3) |
| VPL-CH375 | \$ 2,399 | \$ 4,000 | 5,000 lm | WUXGA | Lamp | 2,500/3,000/3,500 | LMP-C281 | \$199 | HDMIx2, HDBT | VGA, S Video, Composite | 1.5:1 - 2.2:1 | Yes | N/A | 12W | 12.6 lb | Optional (IFU-WLM3) |
| VPL-CH370 | \$ 1,999 | \$ 3,380 | 5,000 lm | WUXGA | Lamp | 2,500/3,000/3,500 | LMP-C281 | \$199 | HDMIx2 | VGA, S Video, Composite | 1.5:1 - 2.2:1 | Yes | N/A | 12W | 12.6 lb | Optional (IFU-WLM3) |
| VPL-CH355 | \$ 1,899 | \$ 3,200 | 4,000 lm | WUXGA | Lamp | 3,000/4,000/5,000 | LMP-C250 | \$199 | HDMIx2, HDBT | VGA, S Video, Composite | 1.5:1 - 2.2:1 | Yes | N/A | 12W | 12.6 lb | Optional (IFU-WLM3) |
| VPL-CH350 | \$ 1,499 | \$ 2,580 | 4,000 lm | WUXGA | Lamp | 3,000/4,000/5,000 | LMP-C250 | \$199 | HDMIx2 | VGA, S Video, Composite | 1.5:1 - 2.2:1 | Yes | N/A | 12W | 12.6 lb | Optional (IFU-WLM3) |
| VPL-CX276 | \$ 1,499 | \$ 2,580 | 5,200 lm | XGA | Lamp | 3,000/4,000 | LMP-C280 | \$199 | HDMIx2 | VGAx2, S Video, Composite | 1.32:1 - 1.91:1 | Yes | N/A | 10W | 12.6 lb | Optional (IFU-WLM3) |
| 4K Projectors - For Visualization and Simulation | | | | | | | | | | | | | | | | |
| VPL-GTZ1 | Ask | Ask | 2,000 lm | 4K | Laser | 20,000 | N/A | N/A | HDMIx4 | N/A | 0.16 - 0.25 : 1 | N/A | N/A | N/A | 121 lb | N/A |
| VPL-GTZ270 | Ask | Ask | 5,000 lm | 4K | Laser | 20,000 | N/A | N/A | HDMIx2, DPx2 | N/A | Optional | Yes | Yes | N/A | 88 lb | N/A |
| SRX-T615 | Ask | Ask | 18,000 lm | 4K | Lamp | 2,000/3,000 | LKRMU450 | \$2,000 (for 6) | HDMIx2 | N/A | Optional | Yes | Yes | N/A | 315.3 lb | N/A |

VPL-FH31 and FHZ55 Optional Lenses

| Model | MSRP | Throw Ratio | Zoom/Focus | Lens Shift Range (V,H) | Screen Size | Required Lens Adaptor |
|---------------|----------|-------------|-------------|------------------------|-------------|-----------------------|
| VPLL-2007 | \$ 2,250 | 0.65:1 | - | +10%, +/-4% | 60"-300" | - |
| VPLL-Z2009 | \$ 2,250 | 0.85-1.0:1 | Manual x1.2 | +50%, +/-24% | 60"-300" | - |
| Standard Lens | N/A | 1.39-2.23:1 | Manual x1.6 | +60%, +/-32% | 40"-600" | - |
| VPLL-Z3024 | \$ 2,250 | 2.34-3.19:1 | Manual x1.3 | +60%, +/-32% | 40"-600" | PK-F30LA1 |
| VPLL-Z3032 | \$ 2,250 | 3.18-4.84 | Manual x1.5 | +60%, +/-32% | 40"-600" | PK-F30LA1 |

VPL-FW60, FW65, FWZ60, FWZ65, FH60, FH65, FHZ57, FHZ60 and FHZ65 Optional Lenses

| Model | MSRP | Throw Ratio | Zoom/Focus | Lens Shift Range (V,H) | Screen Size | Required Lens Adaptor |
|---------------|----------|-------------|--------------|------------------------|-------------|-----------------------|
| VPLL-3003 | \$ 4,800 | 0.33:1 | - | +/-5%, +/-5% | 80"-300" | - |
| VPLL-3007 | \$ 2,250 | 0.65:1 | - | +10%/-5%, 4% | 60"-300" | - |
| Standard Lens | N/A | 1.39-2.23:1 | Powered x1.6 | +60%/-5%, 32% | 40"-600" | - |
| VPLL-Z3009 | \$ 2,250 | 0.85-1.0:1 | Manual x1.2 | +50%/-5%, 24% | 60"-300" | - |
| VPLL-Z3024 | \$ 2,250 | 2.34-3.19:1 | Powered x1.3 | +60%/-5%, 32% | 40"-600" | - |
| VPLL-Z3032 | \$ 2,250 | 3.18-4.84 | Powered x1.5 | +60%/-5%, 32% | 40"-600" | - |

VPL-FH500L, FHZ700L Optional Lenses

| Model | MSRP | Throw Ratio | Zoom/Focus | Lens Shift Range (V,H) | Screen Size | Required Lens Adaptor |
|------------|----------|--------------|--------------|------------------------|-------------|-----------------------|
| VPLL-FM22 | \$ 2,000 | 0.87:1 | No / Manual | - | 40" - 300" | PK-F500LA2 |
| VPLL-ZM42 | \$ 475 | 1.83 - 2.32 | Manual 1.3x | +/- 59%, 31% | 40" - 300" | PK-F500LA2 |
| VLL-Z4007 | \$ 3,200 | 0.68-0.8:1 | Manual 1.2x | +/-15%, 6% | 60" - 300" | - |
| VPLL-4008 | \$ 4,000 | 1.08:1 | No / Manual | +/- 41%, 19% | 40" - 600" | - |
| VPLL-Z4011 | \$ 2,200 | 1.38 - 2.06 | Powered 1.5x | +/-110%, 57% | 60" - 600" | - |
| VPLL-Z4015 | \$ 3,200 | 2.02 - 2.67 | Powered 1.4x | +/- 109%, 57% | 40" - 600" | - |
| VPLL-Z4019 | \$ 3,200 | 2.62 - 3.36 | Powered 1.3x | +/- 113%, 63% | 40" - 600" | - |
| VPLL-Z4025 | \$ 3,200 | 3.30 - 6.11 | Powered 1.9x | +/- 113%, 63% | 40" - 600" | - |
| VPLL-Z4045 | \$ 4,000 | 6.08 - 10.52 | Powered 1.8x | +/- 113%, 63% | 60" - "600" | - |

Projector Mounts

| Model | MSRP | Description |
|-----------|----------|--|
| PAM-200 | \$ 179 | Ceiling mount kit for VPL-E and C series |
| PAM-400 | \$ 200 | Ceiling mount bracket for VPL-F500 and F700 series |
| PAM-600 | \$ 400 | Ceiling mount bracket for VPL-F57 and F60 series |
| PAM-650DS | TBA | Double Stack mount for VPL-F57 and F60 series |
| PSS-650 | \$ 1,300 | 6 axis adjustment mount kit for VPLL3003 lens |
| PSS-650P | \$ 300 | Extension pole for the PSS-650 |

Other accessories

| Model | MSRP | Description |
|------------|----------|---|
| IFU-WLM3 | \$ 89 | Wireless module for VPL-E, S and C series |
| BKM-PJ10 | \$ 600 | HDBaseT adaptor for VPL-FHZ700L |
| BKM-PJ20 | \$ 1,100 | HD-SDI adaptor for VPL-F500 and F700 series |
| LKRA-FL1 | \$ 700 | 3D Optical Filter for the F57 and F60 series (separate polarizers required) |
| LKRA-FL2 | \$ 700 | Multi Surface Optical Filter for the F57 and F60 series |
| IFU-PN250A | \$ 50 | Replacement main interactive pen for the VPL-SW631CM |
| IFU-PN250B | \$ 50 | Replacement sub interactive pen for the VPL-SW631CM |
| PK-F30LA1 | \$ 49 | Lens adaptor to attach Z3024 and Z3032 lens to the FH31 |
| PK-F500LA1 | \$ 49 | Lens adaptor to attach ZP41 lens to the VPL-FH500L and FHZ700L |
| PK-F500LA2 | \$ 49 | Lens adaptor to attach FM22 and ZM42 lens to the VPL-FH500L and FHZ700L |
| PK-F60LA1 | \$ 399 | Retrofit lens adapter to attach VPLL-Z1032 lens to the F57 and F60 series |
| PK-F60LA2 | \$ 399 | Retrofit lens adapter to attach VPLL-Z1024 lens to the F57 and F60 series |
| PK-F60LA3 | \$ 139 | Retrofit lens adapter to attach VPLL-Z2009 lens to the F57 and F60 series |
| PK-F60LA4 | \$ 139 | Retrofit lens adapter to attach VPLL-2007 lens to the F57 and F60 series |

| Model | Eye on Edu (Sug.*) | MSRP | Image Sensor | Signal System | Optical /Digital Zoom | Horizontal Viewing Angle | Focal range | Min Illumination | Presets | Ceiling Mt/Image Flip | Video Out | Camera Control Interface | IP Streaming | Power | Image Stab. | Auto ICR |
|---|--------------------|---------|-----------------------|--|-----------------------|--------------------------|------------------------------|------------------------------|---------|-----------------------|---|---|--------------|-----------------------|-------------|----------|
| SRG Pan Tilt Zoom Cameras | | | | | | | | | | | | | | | | |
| SRG-120DH | \$1,799 | \$2,449 | 1/2.8 type Exmor CMOS | 1080/59.94p,50p, 29.97p, 25p 1080/59.94i, 50i 720/59.94p, 50p,29.97p,25p | 12x/12x | 71 degree (wide) | 3.9 (wide) to 46.8 (tele) mm | 1.8 lux (50IRE F1.8 30 fps) | 16 | No | HDMI | VISCA over IP (RJ45 / RS232C) | N/A | N/A | No | No |
| SRG-120DU | \$1,799 | \$2,449 | 1/2.8 type Exmor CMOS | 1080/59.94p,50p, 29.97p, 25p 1080/59.94i, 50i 720/59.94p, 50p,29.97p,25p | 12x/12x | 71 degree (wide) | 3.9 (wide) to 46.8 (tele) mm | 1.8 lux (50IRE F1.8 30 fps) | 16 | No | USB 3.0 UVC1.0 x1 | VISCA over IP (RJ45 / RS232C) | N/A | N/A | No | No |
| SRG-120DS | \$1,799 | \$2,449 | 1/2.8 type Exmor CMOS | 1080/59.94p, 50p, 29.97p, 25p 1080/59.94i, 50i 720/59.94p, 50p, 29.97p, 25p | 12x/12x | 71 Degrees (Wide) | 3.9 (wide) to 46.8 (tele) mm | 1.8 lux (50IRE F1.8 30 fps) | 16 | No | 3G-SDI (HD-SDI compatible) | VISCA over IP (RJ45 / RS232C) | N/A | N/A | No | No |
| SRG-300H | \$2,329 | \$3,099 | 1/2.8 type Exmor CMOS | 1080/59.94p,50p, 29.97p, 25p 1080/59.94i, 50i 720/59.94p, 50p,29.97p,25p | 30x/12x | 65 degree (wide) | 4.3 (wide) to129 (tele) mm | 1.4 lux (50 IRE F1.6 30 fps) | 16 | Yes | HDMI | VISCA over IP (RJ45 / RS232C / RS422) | N/A | N/A | Yes | Yes |
| SRG-300SE | \$2,799 | \$3,849 | 1/2.8 type Exmor CMOS | 1080/59.94p,50p, 29.97p, 25p 1080/59.94i, 50i 720/59.94p, 50p,29.97p,25p | 30x/12x | 65 degree (wide) | 4.3 (wide) to129 (tele) mm | 1.4 lux (50 IRE F1.6 30 fps) | 256 | Yes | 3G-SDI (HD-SDI compatible) (no audio transmission) | VISCA over IP (RS-422 Serial Interface) | Yes (RTSP) | Yes (IP) | Yes | Yes |
| SRG-360SHE | \$3,599 | \$4,695 | 1/2.8 type Exmor CMOS | 1080/59.94p,50p 1080/59.94i,50i 720/59.94p,50p | 30x/12x | 65 degree (wide) | 4.3 (wide) to129 (tele) mm | 1.4 lux (50 IRE F1.6 30fps) | 256 | Yes | 3G-SDI /HDMI | VISCA over IP (RS-422 Serial Interface RJ45 | Yes (RTSP) | Yes (3G-SDI, HDMI,IP) | Yes | Yes |
| all SRG include Wide Dynamic Range View DR all SRG include XDNR (eXcellent Dynamic Noise Reduction) all SRG include built-in IP Control | | | | | | | | | | | | | | | | |

| BRC Pan Tilt Zoom Camera | | | | | | | | | | | | |
|--------------------------|-------------------------|----------|------------------------|--|---------------------------------|--------------------------|---|---------------------------------------|--|--|------------------------------------|---------------------------|
| Model | Price | | Camera | | | | | | | | Interface | |
| | Eye on Edu (Suggested*) | MSRP | Image Sensor | Signal System | Optical /Digital Zoom | Horizontal Viewing Angle | Focal range | Min Illumination | Video Out | Camera Control Interface | IP Control | EZ-2 Connect Cabling Pkgs |
| BRC-H900 | \$7,385 | \$9,170 | 1/2 type Exmor CMOS x3 | 60 Hz: 1080/59.94i 720/59.94p, NTSC | 14x / NA | 59.6 degrees (wide) | 5.8 (wide) to 81.2 (tele) mm | 4 lux (50 IRE f1.9 +24db) | HD: HD/SD-SDI (switchable) Component (Y/Pb/Pr) or RGB, HD, VD or sync SD: Composite, Y/C | RS-232C/RS422 (VISCA) VISCA over IP with BRBK-IP10 option card | Yes, with optional BRBK-IP10 board | Yes, with RC2-HDS kit |
| BRC-X1000/1 | \$8,859 | \$10,999 | 1" ExmorR CMOS | 2160/29.97P,1080/59.94P,1080/59.94i,720 /59,94P, 2160/25P,1080/50P,1080/50i, 720/50P | 12x (24x with Clear Image Zoom) | 64.6 degrees (wide) | f=9.3 to 111.6mm, F2.8(wide),F4.5(tele) | 1.7Lx, (50IRE, 1/30s, Iris/Gain Auto) | 4K: Dual link 3G-SDI x2 and HDMI HD: 3G-SDI x2 and HDMI | RS-422(VISCA) VISCA Over IP | Yes -Built-in | No |
| BRC-H800/1 | \$6,739 | \$8,299 | 1" ExmorR CMOS | 1080/59.94P,1080/59.94i,720/59,94P, 1080/50P,1080/50i, 720/50P | 12x (24x with Clear Image Zoom) | 64.6 degrees (wide) | f=9.3 to 111.6mm, F2.8(wide),F4.5(tele) | 1.7Lx (50IRE, 1/30s, Iris/Gain Auto) | HD: 3G-SDI x2 and HDMI | RS-422(VISCA) VISCA Over IP | Yes -Built-in | No |

all BRC include image stabilization, are ceiling mountable / image flip and include 16 presets

| EZ-2 Connect Packages | | | | | | |
|-----------------------|-------------------|----------|-------------|----------------|------------|------------------------------|
| Model | EZ2 Connect Model | MSRP | Bundled Kit | Control Format | Video Out | Cat5e/6 Cabling requirements |
| SRG-120DH | SRG120DH/PAC4 | \$3,995 | RC4-SRG | VISCA | HDMI | Single |
| SRG-120DH | SRG120DH/PAC5 | \$3,995 | RC5-SRG | VISCA over IP | HDMI | Single |
| SRG-300H | SRG300H/PAC4 | \$4,599 | RC4-SRG | VISCA | HDMI | Single |
| SRG-300H | SRG300H/PAC5 | \$4,599 | RC5-SRG | VISCA over IP | HDMI | Single |
| SRG-300H/W | SRG300HW/PAC4 | \$4,599 | RC4-SRG | VISCA | HDMI | Single |
| SRG-300H/W | SRG300HW/PAC5 | \$4,599 | RC5-SRG | VISCA over IP | HDMI | Single |
| SRG-300SE | SRG300SE/PAC5 | \$5,499 | RC5-SRG | VISCA over IP | 3G-SDI | Single |
| SRG300SE/W | SRG300SEW/PAC5 | \$5,499 | RC5-SRG | VISCA over IP | 3G-SDI | Single |
| BRC-H900 | BRC-H900/PAC5 | \$11,229 | RC5-SRG | VISCA over IP | | Single |
| BRC-H900 | BRCH900/PAC2 | \$10,999 | RC2-HDS | VISCA | HD Y/Pb/Pr | Dual |

| SRG and BRC Camera Controllers | | |
|--------------------------------|---------|---|
| Model | MSRP | Description |
| RM-IP500/1 | \$3,095 | Compatible with BRCH900/H800/X1000 & SRG-360SHE |
| RMIP10 | \$2,060 | Compatible with BRC Series (except BRC-300 & BRC-H700) & SRG Series |

SONY EDUCATION PROJECTOR PROGRAM

- * EDUCATION PRICING
- * SEASONAL VOLUME PROGRAMS
- * 5 YEAR EXTENDED WARRANTY*
- * 1 YEAR LIMITED LAMP WARRANTY
- * 3 YEAR - FREE LOANER
- * ON-SITE DEMONSTRATIONS
- * PERSONALIZED TECH EVALUATION



**5 Year Warranty applies
after product registration*

For further details visit our website: sony.com/education